Journal of Immunogenetics (1989) **16**, 491–496.

AUTHOR INDEX

ALLANEN, A., *see* WEISS, S.
ALGARRA, I., *see* CABALLERO, A.
ALANSO, M.C., *see* PENA, J.
ANDERSEN, V., *see* FUGGER, L.
ANDERSON, G. & DAVID, C. Role of MHC-Mls and TCR in immune tolerance 257

BADENHOOP, K., SCHWARZ, G., BINGLEY, P., TROWSDALE, J., USADEL, K.H., GALE, E.A.M. & BOTTAZZO, G.F. TNF-alpha gene polymorphisms: association with type I (insulin dependent) diabetes mellitus 455
BAR-ELI, M., *see* GOPAS, J.
BENDTZEN, K., *see* FUGGER, L.
BEVEC, D., *see* WEISS, E.H.
BINGLEY, P., *see* BADENHOOP, K.
BOBÉ, P. & KIGER, N. Immunogenetic studies of spontaneous abortion in mice. III. Non-H-2 antigens and gestation 223
BODMER, W., *see* OLIVER, R.T.D.
BOERENKAMP, W.J., *see* KIEVITS, R.
BOTTAZZO, G.F., *see* BADENHOOP, K.
BOUFFET, E., *see* COMBARET, V.
BRADLEY, B.A., *see* LAUNDY, G.J.
BRINCHMANN, J.E., LEIVESTAD, T. & VARTDAL, F. Quantification of lymphocyte subsets based on positive immunomagnetic selection of cells directly from blood 177
BROWN, G.D. & MERVELO, D. Radiation leukemia virus and its effect on H-2 gene expression 351

CABALLERO, A., REZ, M.A., ALGARRA, I. & GARRIDO, F. Generation of syngeneic anti-tumour double negative cells (CD4- CD8-) with cytotoxic activity against clones of different MHC expression 321
CABRERA, T., *see* FERRON, A.
CARRACEDO, J., *see* PENA, J.
CASTRO, L., *see* TREJO, V.
CAZENAVE, J.-P., *see* SCHMITT, D.A.
CHARRON, D., *see* MOONEY, N.
CHAUVIN, F., *see* COMBARET, V.
CHUN, B.K., *see* NEEFE, J.R.
CLEMENTS, V.K., *see* OSTRAND-ROSENBERG, S.
COHEN, B.B., *see* GIACOMINI, P.
COLE, G.A., *see* OSTRAND-ROSENBERG, S.
COMBARET, V., FAVROT, M.C., CHAUVIN, F., BOUFFET, E., PHILIP, I. & PHILIP, T. Immunomagnetic depletion of malignant cells from autologous bone marrow graft: from experimental models to clinical trials 125
CONCHA, A., *see* FERRON, A.
COOK, S.D., *see* ROHOWSKY-KOCHAN, C.
CORSICO, C., *see* PANDMANABHAN, R.
CRAINIC, K., *see* LE PENDU, J.
CROSBY, D., *see* OLIVER, R.T.D.

D'HOOSTELAERE, L., *see* WEISS, S.
DALIX, A.M., *see* LE PENDU, J.
DAVID, C., *see* ANDERSON, G.
DE GIOVANNI, C., NICOLETTI, G., DEL RE, B., SCOTLANDI, J., PRODI, G., LOLLINI, P.-L. & NANNI, P. Tumourigenic and metastatic ability of SV40-transformed BALB/c cell lines and MHC antigen expression 45

DEL RE, B., *see* DE GIOVANNI, C.
DEMANT, P., *see* OUDSHOORN-SNOEK, M.
DICKSON, L., RICHMAN, P.I., SHAW, M.-A., DONALD, A.S.R. & SWALLOW, D.M. Three antibodies to human intestinal brush border membrane are characterized as anti-Lea 193
DONALD, A.S.R., *see* DICKSON, L.
DOXIADIS, I., *see* GROSSE-WILDE, H.

ECHTERNKAMP, S.E., *see* STEAR, M.J.
EISENBACH, L., *see* PORGADOR, A.

FAVROT, M.C., *see* COMBARET, V.
FELDMAN, M., *see* PORGADOR, A.
FERRON, A., PEREZ-AYALA, M., CONCHA, A., CABRERA, T., REDONDO, M., OLIVA, M.R., RUIZ-CABELLO, F. & GARRIDO, F. MHC class I and II antigens on gastric carcinomas and autologous mucosa 413
FESTENSTEIN, H. Molecular features of the H-2 class I and Qa antigens expressed on gross virus induced AKR leukaemia 329
FESTENSTEIN, H., *see* MARELLI, O.E.A.
FESTENSTEIN, H., *see* OLIVER, R.T.D.
FRANCO, P., *see* MARELLI, O.E.A.
FRIIS, J., *see* FUGGER, L.
FUGGER, L., MORLING, N., BENDTZEN, K., RYDER, L., ANDERSEN, V., HEILMAN, C., KARUP PEDERSEN, F., FRIIS, J., HALBERT, P. & SVEJGAARD, A. IL-6 gene polymorphism in rheumatoid arthritis, pauciarticular juvenile rheumatoid arthritis systemic lupus erythmatosus, and in healthy Danes 461
FUKUI, Y., NICHIMURA, Y., IWANGA, T., KIMURA, A. & INAMITSU, T. Glycosuria and insulitis in NOD mice expressing the HLA-DQw6 molecule 445

GALE, E.A.M., *see* BADENHOOP, K.
GARRIDO, F., *see* CABALLERO, A.
GARRIDO, F., *see* FERRON, A.
GAUDERNACK, G., *see* LUNDIN, K.E.A.
GAUDERNACK, G., LUNDIN, K.E.A., HANAOKA, Y., KITIGAWA, T. & SASAZUKI, T. Rapid immunomagnetic phenotyping of cells 169
GEE, A.P., MANSOUR, V. & WEILER, M. T-cell depletion of human bone marrow 103
GIACOMINI, P., TECCE, R., NICOTRA, M.R., COHEN, B.B., MAZZILLI, M.C. & NATALI, P.G. mAB KUL/05 identifies a denaturation-resistant determinant shared by class II MHC products DR, DQ and DP 203
GJERSTEN, H.SA., *see* LUNDIN, K.E.A.
GLAZEBROOK, H., *see* RINKE DE WIT, T.F.
GOODENOW, R.S., *see* VOGEL, J.M.
GOPAS, J., RAGER-ZISMAN, B., HAR-VARDI, I., HAMMERLING, G.J., BAR-ELI, M. & SEGAL, S. NK sensitivity, H-2 expression and metastatic potential: analysis of *H-2D*^{k} gene transfected fibrocarcoma cells 305
GORODEZKY, C., *see* TREJO, V.
GRANADOS, G., *see* TREJO, V.
GRILLOT-COURVALIN, C., *see* MOONEY, N.
GROSHAUS, C., *see* WEISS, E.H.
GROSSE-WILDE, H. & DOXIADIS, I. Allotyping for HLA class using plasma as antigen source 149

HALBERT, P., *see* FUGGER, L.
HAMMERLING, G.J., *see* GOPAS, J.
HANAOKA, Y., *see* GAUDERNACK, G.
HANAU, D., *see* SCHMITT, D.A.
HANNESTAD, K., *see* HANSEN, T.

HANSEN, T. & HANNESTAD, K. Direct HLA typing by rosetting with immunomagnetic bead coated with specific antibodies 137
HAR-VARDI, I., *see* GOPAS, J.
HAWORTH, A., *see* RINKE DE WIT, T.F.
HEILMAN, C., *see* FUGGER, L.
HIVROZ, C., *see* MOONEY, N.
HOGARTH, P.M., *see* HOULDEN, B.A.
HOLTER, W., *see* PANDMANABHAN, R.
HOULDEN, B.A., MCKENZIE, I.F.C. & HOGARTH, P.M. Cross-linig of ly 6-linked alloantigens: association between ThB and Ly5 33
HOWARD, B.H., *see* PANDMANABHAN, R.
HOWARD, T., *see* PANDMANABHAN, R.
HUI, K.M., *see* SIM, B.C.
HUI, K.M., *see* TEH, M.

ILES, R.L., *see* OLIVER, R.T.D.
INAMITSU, T., *see* FUKUI, Y.
IVANYI, P., *see* KIEVITS, R.
IWANGA, T., *see* FUKUI, Y.

JOHNSON, A.H., *see* NEEFE, J.R.
JUJI, T., *see* TAKEUCHI, F.

KARUP PEDERSEN, F., *see* FUGGER, L.
KIEVITS, R., VAN BLEEK, G.M., BOERENKAMP, W.J., PLA, M. & IVANYI, P. Specificity of anti-H-2 class I antibodies induced by syngeneic immunization with Sendai virus-treated Cells is regulated by the mouse MHC and viral antigens. No evidence for MHC-restriction 3
KIGER, N., *see* BOBÉ, P.
KIMURA, A., *see* FUKUI, Y.
KITIGAWA, T., *see* GAUDERNACK, G.
KLOUDA, P.T., *see* LAUNDY, G.J.
KNIGHT, K.L., *see* SITTISOMBUT, N.

LAUNDY, G.J., PEBERDY, M., KLOUDA, P.T. & BRADLEY, B.A. Applications of automated simultaneous double fluorescence (SDF). II. HLA class I phenotyping using immunomagnetically separated T lymphocytes 141
LE PENDU, J. A hypothesis on the dual significance of ABH, Lewis and related antigens 53
LE PENDU, J., DALIX, A.M., MOLLICONE, R., CRAINIC, K. & ORIOL, R. Expression of Abh, Lewis and related tissue antigens in the thymus 19
LEBETA, M.O., *see* MARELLI, O.E.A.
LEIVESTAD, T., *see* BRINCHMANN, J.E.
LETVIN, N.L., *see* WATKINS, D.I.
LEWIN, H.A., *see* WATKINS, D.I.
LOLLINI, P.-L., *see* DE GIOVANNI, C.
LUNDIN, K.E.A., OVIGSTAD, E., SOLLID, L.M., GJERSTEN, H.SA., GAUDERNACK, G. & THORSBY, E. Positive selection of TAc-(CD25) positive cells following T-cell activation 185
LUNDIN, K.E.A., *see* GAUDERNACK, G.
LUNSTRA, D.D., *see* STEAR, M.J.

MANSOUR, V., *see* GEE, A.P.
MARELLI, O.E.A., FRANCO, P., LEBETA, M.O. & FESTENSTEIN, H. Functional studies of *H-2*^{k}-like epitopes on DTIC treated and untreated L1210 (h-2^d) clones 373
MARTIN, J., *see* OLIVER, R.T.D.
MARTIN, W.J., *see* VOGEL, J.M.

MATSUTA, K., *see* TAKEUCHI, F.
MAZZILLI, M.C., *see* GIACOMINI, P.
MERUELO, D., *see* BROWN, D.
MESSER, G., *see* WEISS, E.H.
MIYAMOTO, T., *see* TAKEUCHI, F.
MOLLICONE, R., *see* LE PENDU, J.
MOONEY, N., HIVROZ, C., ZIAI-TELEBIAN, S., GRILLOT-COURVALIN, C. & CHARRON, D. Signal transduction via MHC class II antigens on B lymphocytes 273
MORLING, N., *see* FUGGER, L.
MCKENZIE, I.F.C., *see* HOULDEN, B.A.
MCMILLAN, M., *see* VOGEL, J.M.

NANNI, P., *see* DE GIOVANNI, C.
NATALI, P.G., *see* GIACOMINI, P.
NAVARRETE, C., *see* OLIVER, R.T.D.
NEEFE, J.R., TREAT, J.A., CHUN, B.K., SCHIEN, P.S. & JOHNSON, A.H. Short communication. Lack of common haplotype among four family members with late-onset Kaposi's sarcoma 247
NICOTRA, M.R., *see* GIACOMINI, P.
NISHIMURA, Y., *see* FUKUI, Y.
NICOLETTI, G., *see* DE GIOVANNI, C.
NOURI, A.M.E., *see* OLIVER, R.T.D.

ODUM, N., SAIDA, T., OHTA, M. & SVEJGAARD, A. HLA-DP antigens and HTLV-1 antibody status among Japanese with multiple sclerosis: evidence for an increased frequency of HLA-DPw4 467
OHTA, M., *see* ODUM, N.
OLIVA, M.R., *see* FERRON, A.
OLIVER, R.T.D., NOURI, A.M.E., CROSBY, D., ILES, R.L., NAVARRETE, C., MARTIN, J., BODMER, W. & FESTENSTEIN, H. Biological significance of beta hCG, HLA and other membrane antigen expression on bladder tumours and their relationship to tumour infiltrating 381
ORIOL, R., *see* LE PENDU, J.
OSTRAND-ROSENBERG, S., CLEMENTS, V.K., THAKUR, A. & COLE, G.A. Transfection of major histocompatibility complex class I and class II genes causes tumour rejection 343
OUDSHOORN-SNOEK, M. & DEMANT, P. Qa-12—a novel determinant of activated T and B lymphocytes 263
OVIGSTAD, E., *see* LUNDIN, K.E.A.
OWEN, C.S. Magnetic cell sorting using colloidal protein-magnetite 117

PANDMANABHAN, R., CORSICO, C., HOLTER, W., HOWARD, T. & HOWARD, B.H. Purification of transiently transfected cells by magnetic-affinity cell sorting 91
PEBERDY, M., *see* LAUNDY, G.J.
PENA, J., SOLANA, R., ALANSO, M.C., SANATAMARIA, M., SERRANO, R., RAMIREZ, R. & CARRACEDO, J. MHC class I and II antigens on gastric carcinomas and autologous mucosa 413
PEREZ-AYALA, M., *see* FERRON, A.
PFIZENMAIER, K., *see* SELIGER, B.
PHILIP, I., *see* COMBARET, V.
PHILIP, T., *see* COMBARET, V.
PLA, M., *see* KIEVITS, R.
POKORNY, T.S., *see* STEAR, M.J.
PORGADOR, A., FELDMAN, M. & EISENBACH, L. H-2K^b transfection of B16 melanoma cells results in tumourigenicity and metastatic competence 291
PRODI, G., *see* DE GIOVANNI, C.

RABIELA, M.T., *see* TREJO, V.
RAGER-ZISMAN B., *see* GOPAS, J.
RAMIREZ, R., *see* PENA, J.
REDONDO, M., *see* FERRON, A.
REZ, M.A., *see* CABALLERO, A.
RICHMAN, P.I., *see* DICKSON, L.
RINKE DE WIT, T.F., VLOEMANS, A.A., VAN DEN ELSEN, P.J., WARD, J., SUTCLIFFE, R.C., GLAZEBROOK, H., HAWORTH A. & STERN, L. Novel human MHC class I genes are expressed by tumour cell lines representing embryonic tissues 391
ROHOWSKY-KOCHAN, C., TROIANO, R. & COOK, S.D. MHC-restricted autoantigen-reactive t-cell clones in multiple sclerosis 437
RUIZ-CABELLO, F., *see* FERRON, A.
RYDER, L., *see* FUGGER, L.

SAIDA, T., *see* ODUM, N.
SANATAMARIA, M., *see* PENA, J.
SASAZUKI, T., *see* GAUDERNACK, G.
SCHIEN, P.S., *see* NEEFE, J.R.
SCHMIDT, W., *see* WEISS, E.H.
SCHMITT, D.A., HANAU, D. & CAZENAVE, J.-P. Isolation of epidermal Langerhans cells 157
SCHWARZ, G., *see* BADENHOOP, K.
SCHWEMMLE, S., *see* WEISS, E.H.
SCOTTLANDI, J., *see* DE GIOVANNI, C.
SEGAL, S., *see* GOPAS, J.
SEINMETZ, M., *see* WEISS, E.H.
SELIGER, B. & PFIZENMAIER, K. Post-transcriptional downregulation of MHC class I expression in oncogene-transformed cells is reverted by IFN-Gamma and TNF-alpha 315
SERRANO, R., *see* PENA, J.
SHADDUCK, J.A., *see* WATKINS, D.I.
SHAW, M.-A., *see* DICKSON, L.
SIM, B.C. & HUI, K.M. Cloning and characterization of a polymorphic class I MHC gene in the AKR lymphoma K36.16 335
SITTISOMBUT, N., TISSOT, R.G. & KNIGHT, K.L. Rabbit major histocompatibility complex. III. Multiple class II DRβ genes and restriction fragment length polymorphism of the class II α and β genes 63
SOLANA, R., *see* PENA, J.
SOLLID, L.M., *see* LUNDIN, K.E.A.
SOTELO, J., *see* TREJO, V.
STEAR, M.J., POKORNY, T.S., ECHTERNKAMP, S.E. & LUNSTRA, D.D. The influence of the BoLA-A locus on reproductive traits in cattle 77
STERN, L., *see* RINKE DE WIT, T.F.
STONE, M.E., *see* WATKINS, D.I.
SUTCLIFFE, R.C., *see* RINKE DE WIT, T.F.
SVEJGAARD, A., *see* FUGGER, L.
SVEJGAARD, A., *see* ODUM, N.
SWALLOW, D.M., *see* DICKSON, L.

TAKEUCHI, F., MATSUTA, K., WATANABE, Y., TOKUNAGA, K., JUJI, T. & MIYAMOTO, T. Ssuceptibility epitope for HLA-DR B chain for rheumatoid arthritis and the effect of the positivity on the clinical features 475
TALAMAS, O., *see* TREJO, V.
TECCE, R., *see* GIACOMINI, P.
TEH M. & HUI, K.M. Modulation of MHC gene expression in human breast carcinoma cells by hormones 397
THAKUR, A., *see* OSTRAND-ROSENBERG, S.

THORSBY, E., *see* LUNDIN, K.E.A.
TISSOT, R.G., *see* SITTISOMBUT, N.
TOKUNAGA, K., *see* TAKEUCHI, F.
TREAT, J.A., *see* NEEFE, J.R.
TREJO, V., TALAMAS, O., GRANADOS, G., CASTRO, L., RABIELA, M.T., SOTELO, J. & GORODEZKY, C. What is the significance of the presence of MHC molecules on the surface of parasites in human neurocysticercosis? 427
TROIANO, R., *see* ROHOWSKY-KOCHAN, C.
TROWSDALE, J., *see* BADENHOOP, K.

UEMATSU, Y., *see* WEISS, S.
USADEL, K.H., *see* BADENHOOP, K.

VAN BLEEK, G.M., *see* KIEVITS, R.
VAN DEN ELSEN, P.J., *see* RINKE DE WIT, T.F.
VARTDAL, F., *see* BRINCHMANN, J.E.
VLOEMANS, A.A., *see* RINKE DE WIT, T.F.
VOGEL, J.M., MCMILLAN, M., MARTIN, W.J. & GOODENOW, R.S. Evidence that derivation of the adenocarcinoma LT85 predated establishment of the H-2^{km2} mutation in a C3Hf colony of mice 363

WARD, J., *see* RINKE DE WIT, T.F.
WATANABE, Y., *see* TAKEUCHI, F.
WATKINS, D.I., SHADDUCK, J.A., STONE, M.E., LEWIN, H.A. & LETVIN, N.L. Isoelectric focusing of bovine major histocompatibility of complex class I molecules 233
WEILER, M., *see* GEE, A.P.
WEISS, E.H., BEVEC, D., MESSER, G., SCHWEMMLE, S., GROßHAUS, C., SEINMETZ, M. & SCHMIDT, W. Organization of the AKR Qa region: structure of a divergent class I sequence Q5 283
WEISS, S., UEMATSU, Y., D'HOOSTELAERE, L. & ALANEN, A. Gross genetic differences among substrains of NZB mice 217

ZIAI-TELEBIAN, S., *see* MOONEY, N.